



LÖWEN STAHL

CUSTOMERS WHO HAVE PURCHASED METAL PRODUCTS MADE OF SHEET, COLD-ROLLED, HOT STEEL COATED ORGANIC PAINT, ENAMEL AT HIGH TEMPERATURE AND COVER AT LEAST 25 µm ON TOP METAL, UNDER THE BRAND NAME LÖWEN STAHL® PROVIDED GUARANTEE WITH ORGANIC COATING FOR 15 (FIFTEEN) YEARS.

I. SUBJECT OF GUARANTEE

This Guarantee (hereinafter referred to as the "Guarantee") applies to deliveries made by VKF ROM LTD (hereinafter referred to as the "Supplier") to customers (hereinafter referred to as the "Buyer") of LÖWEN STAHL® products (hereinafter "Products" or "Products"), intended for use under normal conditions as the exterior cladding of buildings (including garage doors) or external roofing, including metal tiles, but excluding gutters, fasteners, roof fittings, and solar-related applications for geographically located buildings. This guarantee applies in particular to Albania, Andorra, Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, the Czech Republic, Denmark, Estonia, Finland, the metropolises of France, Germany, Greece, Hungary, Ireland and Italy. Kosovo, Latvia, Liechtenstein, Lithuania, Luxembourg, Moldova, Montenegro, the Netherlands, Norway, Poland, Portugal, the Republic of Macedonia, Romania, Russia, San Marino, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine and the United Kingdom (Great Britain, England, Scotland, Wales) and Northern Ireland), and extend to Armenia, Azerbaijan, Georgia, Iceland, Kazakhstan, Tajikistan, and Turkey.

The Supplier declares that the characteristics of the Coated Products meet the requirements of standards EN 10346 - EN 10169, and the declaration takes effect on the day of delivery of the Products.

Subject to the terms and limitations of this Guarantee, the Supplier warrants to the Buyer:

1. No through corrosion (perforation) in the metal base as a result of oxidation.
2. No peeling of the paint layer.
3. Regarding the expiration of the Guarantee period (Section II - Table: Guarantee period given for the absence of peelings of the paint layer.) Corrosion and peeling of the paint layer will not extend from the cut edges further than ten (10) millimeters along not more than 10 % of the total length of the cut edge. However, in any case, the guaranteed period for the absence of through holes due to corrosion and peeling of the paint layer on the trimmed edges will not exceed the maximum period of 10 (ten) years.
4. Aesthetic (appearance) (after washing with aqueous soap solution - pH neutral):
 - Even burnout of the color shade of the paint after the same exposure,
 - Changes in color and gloss within the limits set in section II - table: Guarantee period for aesthetic properties, color / gloss.

II. GUARANTEE VALIDITY PERIOD

This Guarantee is effective from the date of shipment of the Products or, if this date is unknown, from the time the Products became available to the Buyer and should not, under any circumstances, go beyond the time intervals given in the tables below. Products for construction - Automatic Guarantee on products based on thickness and environment is provided without questionnaires on the conditions and nature of use. Guarantee period for the absence of through corrosion (perforation) for sheet metal and the absence of peeling of the enamel coating (in years)

| Finishing coating of the front part | Coating thickness μm | Environment | | | | | | | |
|-------------------------------------|---------------------------------|-------------------|----------------|-------------------|----------------|---------------------|---------------------|--------------------|--------------------|
| | | Country'side | Urban | Industrial part | | Marine | | | Special conditions |
| | | | | | | From 3 to 20 km | From 1 to 3 km | From 300 m to 1 km | |
| No pollution | Light pollution | Average pollution | High pollution | Average pollution | High pollution | Very high pollution | Very high pollution | | |
| Polyester | 25 | 15 | 15 | NG | NG | 10 | NG | NG | NG |
| Matpolyester | 25 | 15 | 15 | NG | NG | 10 | NG | NG | NG |
| Ultra matte polyester | 35 | 15 | 15 | 10 | 5 | 10 | 5 | NG | NG |
| Crystal mat | 35 | 15 | 15 | 10 | 5 | 10 | 5 | NG | NG |
| PVDF | 25 | 15 | 15 | 10 | 5 | 15 | 10 | NG | NG |
| Hi Bild | 40 | 40 | 40 | 30 | 20 | 20 | 15 | 10 | 5 |
| Two sides Polyester | 25/25 | 15 | 15 | NG | NG | 10 | NG | NG | NG |
| Two sides Matpolyester | 25/25 | 15 | 15 | NG | NG | 10 | NG | NG | NG |

Guarantee period on appearance (aesthetics), color / shine (years)

| Finishing coating of the front part | Color category | Durability level Color change ΔE | Color loss | Geographical location and altitude | | | |
|-------------------------------------|----------------|---|-------------|------------------------------------|---------|---------|---------|
| | | | | Zone 1 | | Zone 2 | |
| | | | | < 900 M | > 900 M | < 900 M | > 900 M |
| Polyester | 1,2 | ≤ 5 | $\geq 30\%$ | 5 | NG | NG | NG |
| Matpolyester | 3 | ≤ 5 | $\geq 30\%$ | 2 | NG | NG | NG |
| Ultra matte polyester | 1,2,3 | ≤ 3 | $\geq 50\%$ | 5 | 2 | 5 | NG |
| Crystal mat | 4,5 | ≤ 3 | $\geq 50\%$ | 2 | 2 | 2 | NG |
| PVDF | 1,2,3 | ≤ 3 | $\geq 80\%$ | 5 | 5 | 5 | 5 |
| Hi Bild | 4,5 | ≤ 3 | $\geq 80\%$ | 2 | 2 | 2 | 2 |

NG: No Guarantee

III. SCOPE OF THE GUARANTEE

If the Supplier has determined that the defective Products constitute more than 5% of the external surface of the roof and / or cladding of the building, then the Supplier undertakes, in its sole discretion, to exclude liability for any other damages or damages, both direct and indirect. indirect, tangible and intangible, incurred by the Buyer or any other person, or: - replace or refund money paid for defective Products, or - repaint the damaged surfaces of the Products at his own expense, including the supply of paint and the cost of its application Moreover, it is clearly stated that the replacement and / or refund and / or repainting of the Products: - will be limited to damaged surfaces: no differences in the appearance of repaired areas from undamaged areas are subject to compensation, in any form, - will not entitle the Buyer to extend the original guarantees or open guarantees for a new period. The Supplier's liability is limited to the invoice value of defective Products excluding VAT (as well as excluding transportation and storage costs) in the following amounts and limits:

| | Notation and calculation formulas |
|--|---|
| The date of the buyer's claim | P: reimbursement of the share of liability of the company VKF "ROM LTD" G: Total Guarantee period (years) R: Remaining Guarantee period (years) |
| ≤ 5 years before the date of invoicing | P = 100% of the invoice value of defective Products, excluding VAT |
| > 5 years before the date of invoicing | $P = [R \times 100 / (G - 5)]\%$ of the invoice value of defective Products, excluding VAT |

IV. ESSENTIAL TERMS

This Guarantee is provided by VKF ROM LTD to the Buyer and only to the Buyer. In the event that the Buyer will provide its own customers with guarantees for Products sold by VKF ROM LTD, which will exceed the terms of this Guarantee, then the extended part of the guarantees will not be covered by the Supplier, and the Buyer assumes all risks and releases the Supplier from liability for all costs (including court costs) relating to any claim. The guarantee can be transferred in case of change of structure of a controlling block of shares of the company of the Buyer, within 15 days after such change. Only in this case the rest of the Guarantee can be transferred to the successor of the Buyer. As an experienced professional in the construction industry, the Buyer must ensure due diligence in the definition, execution and control of transportation, storage, loading and unloading operations, maintenance and subsequent processing of Products. These Warranties will be subject to Buyer's fulfillment of the following conditions.

4.1 Transportation, storage, loading and unloading of products.

The Buyer will be responsible and must control the transportation, storage, loading and unloading of the Products. These operations, whatever the circumstances, must be carried out in strict accordance with the rules and regulations in force at the date of delivery of the

Products within the geographical scope of the Guarantees as defined in Annex A, such as NTI (Normative Technical Instructions), norms and standards, technical recommendations, professional supplier's rules and documentation, in particular "User manual Organic coated steels" and "Technical data sheets Organic coated steels", which can be invited to the technical groups. support of VKF "ROM LTD". The conditions must ensure the complete preservation of the Products. All appropriate measures must be taken by the Buyer and / or a person authorized by the Buyer to prevent any damage, in particular to the paint layer during or as a result of these operations. Products must not be stored in the Buyer's production facilities or on the construction site for more than one (1) month after delivery. Note: In special cases not specified in this document, the Buyer must consult with the Supplier, the characteristics and specifications for the use of the Products must be agreed jointly in a written agreement before ordering.

4.2 Processing of products.

The products must be used by the Buyer and / or a person authorized by the Buyer in strict accordance with the professional rules and regulations in force on the date of delivery of the Products within the geographical scope of the Guarantee as defined in Annex A, such as NTI (Normative Technical Instructions), norms and standards, technical recommendations, professional rules and supplier's documentation, especially the "User manual Organic coated steels" and "Technical data sheets Organic coated steels", which can be invited to the technical support groups of VKF "ROM LTD". Terms of use must ensure the complete preservation of the Products. The buyer must ensure that the treatment does not lead to any damage (eg cracks) in the coating layer. The protective films used for the Products must be removed no later than 3 months after their use and immediately after the installation of the Product. Exposure to ultraviolet radiation, moisture condensation reduces the above periods. All appropriate measures must be taken by the Buyer and / or a person authorized by the Buyer to prevent any damage to the paint film due to cuts, milling, drilling or more generally from any installation or other work performed on site. The design and construction of buildings and any possible modifications should not lead to: - the emergence of weaknesses that can cause the accumulation of water and debris of any kind, and the slope of the roof should be at least 5% when laying without a floor, and 7% when laying with a floor; - assemblies with incompatible materials that damage the Products; - misuse of the Products. In the special case of parts produced by stamping, bending and profiling: if these operations cause stretching of the steel in the main directions by more than 30% and / or compression of the steel by more than -10% (but under no circumstances outside the formation of cracks in the substrate), only the coverage of the PVDF and HiBild brand is covered by this Guarantee.

4.3 Product maintenance.

Natural washing of the surface of the polymer coating with atmospheric rainwater is a normal process to prevent clogging, which can impair the appearance (dust coating, etc.). If, despite this, dust and dirt accumulate on your product, they should be removed with soapy water. For walls and roof surfaces that are not normally washed by rainwater, regular maintenance is mandatory, it should be carried out at least as follows: - annual washing without

the use of abrasive and aggressive products; and the Buyer must provide confirmation. Cleaning with water and natural soap is recommended. In any case, the user must make sure that reagents are used for the cleaning process that do NOT damage the coating; - any places where, regardless of the cause, the initial signs of corrosion have appeared must be treated immediately and this must be done systematically; - The Buyer must inspect the condition of the coating and carry out preventive maintenance annually, in accordance with the special rules and instructions in force on the date of delivery of the Products within the geographical scope of these Warranties as defined in Annex A (such as DTU). standards, technical recommendations, industry rules and documentation of the Supplier, in particular "Service instructions", "Instructions of the consumer of steel with a polymeric covering" and "Technical characteristics of steel with a polymeric covering" which can be invited in technical support of VKF ROM LTD. The buyer must ensure that these recommendations are communicated to his potential buyers.

V. EXCEPTIONS FROM THIS GUARANTEE

5.1 This Guarantee does not cover defects resulting from:

- Transportation, storage, loading or unloading, other handling, handling, use and / or maintenance of the Products by the Buyer or another person involved in all or some of these operations, when the operations are performed in violation of the following requirements and conditions: - requirements described in Section IV above, and, -special rules and instructions in force on the date of delivery of the Products within the geographical scope of these Guarantees, as defined in Annex A (such as DTUs), norms and standards, technical recommendations, industry regulations and Supplier's documentation, in particular "Service instructions", "Instructions of the consumer of steel with a polymeric covering" and "Technical characteristics of steel with a polymeric covering" which can be invited in technical support of the company VKF "ROM LTD".

- Any actions performed by the Buyer and / or his / her authorized person, such as cutting and drilling. Moreover, any rust on the coating caused by the presence of metal particles resulting from the above actions is not covered by the Guarantee.

- Collections of Polymer-coated Products with materials that form galvanic vapor or create a potential difference made by the Buyer or the person authorized by the Buyer.

- Any damage resulting from external causes, such as pollution, fire, smoke and accidental leakage, causing aggressive fumes or other force majeure event and, in general, any cause not related to production process of the Supplier.

- Any damage, such as cracks in the coating, caused by incorrect machining parameters or profiling condition (temperature too low).

- Defects that occur due to very harsh processing conditions, such as stamping or bending, are beyond the technological capabilities of the steel specified in the Product Specification.

- Defects resulting from stamping, bending or profiling operations with steel elongation in the main direction of more than 30% and / or steel narrowing by more than -10%, if the Product ordered by the Buyer is not PVDF and HiBild.

- Defects caused by aggressive cleaning and cleaning operations (including mechanical and chemical damage).

5.2 The Guarantee does not cover:

- The appearance of corrosion on the reverse side of the panels and places with transverse and longitudinal overlap, or the appearance of any other defects due to the environment inside the building.

- The appearance of corrosion on the outer shell of the enclosing structures of sandwich panels, caused by the aggressive internal environment and insufficient tightness of the joints of the panels.

- Materials located by the sea.

- Attics and open buildings, such as canopies, where there is a risk of condensation on the inside of the roof. In this case, it is advisable to use steel with a double-sided polymer coating.

- Roofs with a slope of less than 5%.

- Products subject to permanent or temporary exposure:

- Environment with a high concentration of aggressive and corrosive chemicals that can attack the polymer coated metal by condensation or impregnation (eg smoke emissions containing sulfur vapor, acid or alkaline emissions from some factories).

- Abnormally high and locally concentrated surface temperature.

- Other special conditions, such as pollution, sandstorms, are beyond the scope of this Guarantee.

5.3 The Guarantee is void if the environment and its mode of exposure and the conditions of use of the Products are worse than those specified in the scope specified in the tables in Section II and Annex B.

VI. EXECUTION OF THE GUARANTEE

Any claim under this Guarantee may be made only after payment of the invoice value of the Supplier's Products and must be delivered immediately by registered letter with acknowledgment of receipt, starting from the moment when the defects covered more than 5% of the outer roof surface and / or facade cladding and, regardless from the circumstances, and until the date when the damaged areas occupy more than 10% of the surface, with the risk of losing the right to use the Guarantee. This letter must be accompanied by a Guarantee certificate issued by the Supplier to the Buyer, as well as an invoice for payment and sent to the commercial department of the Supplier. The Buyer must provide all information to the Supplier to identify the Products (eg order number, invoice number, roll number, delivery date, building completion date) and all components for claim analysis.

VII. SPECIAL CONDITIONS

Except for the additional warranties provided by the Supplier in writing in the form of a separate document, the validity of the Guarantee is limited to the terms and conditions contained in this document.

VIII. JURISDICTION AND LEGISLATION

In the case of international sales, Ukrainian law will be the only law applicable to these Guarantees and any disputes that may arise between the Supplier and the Buyer. The Commercial Court of Lviv Oblast will be the sole and exclusive jurisdiction in the event of disputes related to the Guarantee. However, the Supplier reserves the right to bring any disputes concerning the sale within other countries with the Buyer to the court under the jurisdiction of the state registration of the Buyer, they will be brought to court only in the capital of the country.

Signed in 20_____

Guarantee Recipient (Buyer) _____

If the Buyer does not return this document in a timely dated form, and signed by an authorized person within thirty (30) days from the date of receipt, then the terms and conditions of this document will be considered directly confirmed by the Buyer in full.

ANNEX A GEOGRAPHICAL LIMITS OF THE GUARANTEE



ANNEX B CLASSIFICATION OF COLORS BY CATEGORY

| | | |
|-----------------|---|------------|
| $L^* > 80$ | $C^* < 10$ | Category 1 |
| | $10 \leq C^* < 20$ | Category 2 |
| | $20 \leq C^* < 30$ | Category 3 |
| | $C^* \geq 30$ | Category 4 |
| $60 < L^* < 80$ | $C^* < 10$ | Category 1 |
| | $C^* < 25$ and $-11 < A^* < +11$ and $-5 < B^* < +25$ | Category 2 |
| | $C^* < 30$ and $-16 < A^* < +16$ and $-5 < B^* < +25$ | Category 3 |
| | $C^* \geq 30$ | Category 4 |
| $L^* < 60$ | $C^* < 30$ | Category 3 |
| | $C^* \geq 30$ | Category 4 |

$$C^* = (A^{*2} + B^{*2})^{1/2}$$

Category 1: light tones

Category 2: moderate tones

Category 3: dark tones

Category 4: bright colors

Category 5: metallic *

*Color measurement takes place in CIELAB * 76 on a 0/45 ° spectrometer, illuminant D65*

ANNEX C

DEFINITION OF THE ENVIRONMENT

I. Altitude 900 meters or less

1. Rural unpolluted environment. The environment in which buildings located in rural areas, where there is no specific pollution, includes smoke emissions containing sulfur gases (heating with fuel oil).

2. Normal urban or industrial environment. The environment in which buildings are located in urban agglomerations and / or in industrial areas, where one or more plants generate gases and fumes, thus creating a small increase in air pollution, however, without sources of high concentrations of chemicals that cause corrosion.

3. Heavily polluted urban or industrial environment. The environment in which buildings located in urban agglomerations and / or in industrial areas where there is a high concentration of chemicals that cause corrosion (industrial environment consisting mainly of incinerators, distilleries, cement plants, paper mills), both available constantly and periodically appear.

4. Marine environment.

- Not far from the sea. The environment in which the buildings are located at a distance of 3 to 20 km from the shore.

- The coast. The environment in which the buildings are located at a distance of 1 to 3 km from the shore, where sea water does not have a direct impact (coastal). This zone extends to 300 m from the shore, but only for PVDF and HiBilD products (direct action of sea water is excluded).

- Coastal zone

• An area where seawater can be sprayed on buildings constructed in whole or in part from the Products. Water can be sprayed on part of the structures, and from time to time.

• Area where seawater can be directly sprayed on buildings constructed in whole or in part from Products.

- Mixed environment: an environment where the impact of a coastal and a normal or harsh urban or industrial environment is combined.

II. Altitude above 900 meters and special environmental conditions

- A special environment with strong ultraviolet radiation. Environment of buildings exposed to intense ultraviolet light (environment corresponding to buildings located in cities 900 meters above sea level or in overseas departments and areas lying between 37 parallel north latitude 37 parallel south).

- Specific special environments. Environments in which the intensity of the type of exposure described above in I / and II / is enhanced by the action of certain factors, such as abrasive effects, high temperature, high humidity, significant dust, sea water dust and the like.

ANNEX D

GUARANTEE COUPON N _____

This coupon is issued by the Supplier as a result of positive consideration and analysis of the Buyer's application, and on the basis of the conditions and restrictions specified in this Guarantee and its appendices.

Shopper: _____

Construction site address: _____

| № Buyer's order | № notification of the Supplier about the receipt of the order | Type of manufactured products | The number of products is delivered | Date of shipment or receipt of products | Guarantee provided | Guarantee period (years) * |
|-----------------|---|-------------------------------|-------------------------------------|---|--|----------------------------|
| | | | | | no through corrosion of sheet metal other guarantees provided (should be specified) | |

* Calculated from the date specified in the column "Date of shipment or receipt of Products" of this Guarantee card.

The General Terms and Conditions of Sale of the Supplier are an integral part of the Guarantee.

Signed _____ 20__

Supplier: _____

Shopper: _____

If the Buyer does not return this document in the proper form, agreed and signed by the authorized person within thirty (30) days from the date of receipt, then the terms and conditions of this document will be considered directly accepted by the Buyer in full.

LOWENSTAHL DE

15 years guarantee